Fall Deaths

Fall Deaths

•Most recent data (2014): 10 deaths per 100,000, including 203 deaths.

•Trend over time: 2000-14: rising

•Description: Includes deaths from unintentional slipping, tripping, stumbling and falling (i.e. excluding assault

and suicide)

•Healthy People 2020 Goal: 7 per 100,000 or lower

Fall deaths, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	9.5	8.9	10.2	188
AGE	'		•	1
<18	*	*	*	*
18-24	0.8 §	0.3 §	1.6 §	1
25-44	1.0	0.7	1.4	6
45-64	4.4	3.6	5.3	23
65+	69.1	64.4	74.1	157
GENDER	<u> </u>			•
Male	12.5	11.4	13.7	98
Female	7.5	6.8	8.3	90
RACE/ETHNICITY				
AIAN	12.0 §	3.7 §	29.9 §	1
Asian	7.5	5.9	9.4	16
Black	5.9	3.6	9.2	5
Hispanic	6.5	3.3	11.7	3
Multiple	*	*	*	*
NHPI	18.2 §	3.2 §	66.0 §	1
White	10.1	9.4	10.8	165
NEIGHBORHOOD POVERTY				
High	8.4	6.8	10.3	20
Medium	10	9.2	10.8	130
Low	8.5	7.3	9.9	36
REGION				
East	8.5	7.4	9.8	43
North	11.4	9.1	14.1	19
Seattle	9.8	8.7	11.0	66
South	9.3	8.2	10.4	58
STATE				
Washington State	11.5	11.2	11.9	838

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

 $^{\Lambda}$ Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


Cl is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

 $\$ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Fall deaths King County, 2010-2014 average



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 08/2016. ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poverty = Neighborhood poverty levels defined by median household income.

^{|-----|} Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.

Fall deaths by health reporting areas, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	9.5	8.9	10.2	188
Aubum	11.3	7.7	16.1	6
Auburn-North	12.3	7.8	18.6	5
Auburn-South	9.6 §	4.3 §	18.4 §	2
Bear Creek/Carnation/Duvall	12.4	7.5	19.3	4
Bellevue	8.4	6.5	10.7	14
Bellewe-Central	6.8	3.8	11.8	3
Bellewe-NE	6.8	3.7	11.9	3
Bellevue-South	8.4	4.3	15.5	2
Bellewe-West	12.6	8.3	19.3	6
Black Diamond/Enumclaw/SE County	7.8	4.5	12.9	3
Bothell/Woodinville	15.1	10	22.1	7
Burien	8.1	4.9	12.7	4
Covington/Maple Valley	8.0	4.2	13.9	3
Des Moines/Normandy Park	10.5	7.1	15.5	7
East Federal Way	7.5 §	3.4 §	14.5 §	2
Fairwood	*	*	*	*
Federal Way	9.7	6.8	13.5	7
Fed Way-Central/Military Rd	10.1	6.5	15.2	5
Fed Way-Dash Point/Woodmont	10.1	5.2	18.2	2
Issaquah	10.5	6.4	17.3	4
Kenmore/LFP	10.6	6.5	16.6	4
Kent	10.6	7.8	14.2	10
Kent-East	9.7	4.9	17.3	2
Kent-SE	11.4	7.7	16.7	6
Kent-West	8.0 §	3.0 §	18.0 §	1
Kirkland	10	6.9	14.0	7
Kirkland	10	6.3	15.2	5
Kirkland North	10.3	5.4	18.1	3
Mercer Isle/Pt Cities	7.7	4.8	14.1	5
	+			2
Newcastle/Four Creeks	10.3 §	5.0 §	19.0 §	-
North Highline	11.8 §	4.9 §	24.2 §	2
Redmond	6.7	3.7	11.3	3
Renton	8.2	5.9	11.3	8
Renton-East	7.3 §	2.9 §	15.3 §	1
Renton-North	8.9	4.7	15.7	3
Renton-South	8.5	5.2	13.2	4
Sammamish	7.1 §	2.8 §	15.2 [§]	2
SeaTac/Tukwila	9.2	5.3	15.0	4
Seattle	9.8	8.7	11.0	66
Ballard	11.3	7.3	17.1	5
Beacon/Gtown/S.Park	9.0	5.4	14.3	4
Capitol Hill/E.lake	14.1	9.0	22.0	5
Central Seattle	10.2	6.4	16.1	4
Delridge	8.8 §	3.8 §	17.7 §	2
Downtown	10.9	7.3	23.8	6
Fremont/Greenlake	10.2	6.2	16.6	5
NE Seattle	10.6	7.3	15.2	7
North Seattle	15.7	11.3	21.8	10
NW Seattle	8.2	5.2	13.3	5
QA/Magnolia	5.8	3.5	9.8	4
SE Seattle	3.8 §	1.8 §	7.5 §	2
West Seattle	9.8	6.7	14.6	7
Shoreline	9.9	7.0	14.0	8
Snoqualmie/North Bend/Skykomish	5.0 §	1.7 §	11.8 §	1
		_		2
Vashon Island	13.7 §	6.7 §	31.5 [§]	

Comparisons:

Higher than King County rate (yellow)
Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


Cl is 95% Confidence Interval.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

 $^{^{\}star}$ Too few cases to protect confidentiality and/or report reliable rates.

Fall deaths by health reporting areas King County, 2010-2014 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Fall deaths King County, 2000-2014, three-year rolling averages



^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
Trends over time: King County (2000-14: rising); East KC (2000-14: rising); North KC (2000-14: rising);
Seattle (2000-09: rising; 2009-14: flat); South KC (2000-14: rising); Washington State (2000-14: rising)
Source: WA State DOH, Center for Health Statistics, Death Certificates.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the <u>Assessment, Policy Development & Evaluation Unit</u> <u>Public Health - Seattle & King County</u> 08/16

